3rd UUM International Qualitative Research Conference (QRC) 2018 10-12 July 2018, Melaka, Malaysia

Hospital Disaster Preparedness-The Real Situation on 2014 Flood Disaster

Norsyazana Ahmad Zamree*a, Noor Azzah Saidb, Suzyrman Siblya

Abstract

Floods are known to be commonly occurring natural disasters in most part of the world. In 2014, the east coast of Peninsular Malaysia was affected by the worst flood ever recorded in history. The worst flood affected area were Kelantan, Terengganu and Pahang. The 2014 flood caused physical and monetary losses amounting nearly millions of dollars. Among the worst hit infrastructures in 2014 flood disaster were hospitals. This has led to the realization of hospital disaster preparedness and management is important which needs to be closely monitored and addressed. This paper investigates the disaster preparedness level of selected hospitals affected by flood disasters in Kelantan. Guided interviews with the flood-affected hospital disaster committees were carried out and summarized in a summary table to give a clear picture of the level of hospital disaster preparedness during the 2014 flood disaster. The results show that despite the existence of disaster action plan and protocols there is no standard disaster preparedness model being used by hospitals.

Keywords: Flood, disaster, hospital disaster preparedness, natural disaster

1. INTRODUCTION

The World Health Organization (WHO) defines natural disaster as the result of an ecological disruption or threats that exceeds the adjustment capacity of the affected community (Gebbie, 2002). The United Nations International Strategy for Disaster Reduction (UNISDR, 2009) defines disaster as a serious disruption of the functioning of a community or a society involving widespread human, material, economic or environmental losses and impacts, which exceeds the ability of the affected community or society to cope using its own resources. The impact of a disaster is different depending on its intensity and coverage area. Major natural disasters like floods, earthquakes, landslides, and drought affect the infrastructure, agriculture, and the environment. Disasters also bring about long-term emotional and mental stress to those involved in the disaster, including the victims' families, the respond and rescue team as well as other civilians (Ben-Ezra et al., 2013; Norris, Friedman, & Watson, 2002; Oldham, 2013)

The end of 2014 saw one of the worst flood disasters in the history of Malaysia (Khor, 2015). It has highlighted the importance of total preparedness to disasters, especially in hospitals. States that were affected by the 2014 floods were Kelantan, Terengganu, Pahang, Perak, Perlis, and Sabah, where 45,737 victims from 12,370 families were involved. The victims were placed in 284 evacuation centers around the affected states. Kelantan was the worst affected state with 26,721 evacuees from 7,633 families, placed in 115 evacuation centers. (Khor, 2015).

Kelantan is located in the East-coast of the Peninsular Malaysia exposing it to high rainfalls during the North-east monsoon season. In December 2014, Kelantan was hit by the worst flood ever where flood levels reach between 5 to 10 meters. Buildings were inundated up to the 3rd and 4th floor. Many people could not evacuate from their house and they took shelter in evacuation centers such as schools. Heavy rains on flood 2014 began on the 17th of December and continuously ran for three days with heavy rain fell from 21st to 23rd of December 2014 in Kelantan. This was a record-setting rainfall of 1295mm, equivalent to the amount of rainwater usually seen in a

E-mail: syazanazamree@student.usm.my, azzah074@salam.uitm.edu.my, suzyrman@usm.my

^a Centre for Global Sustainability Studies, Universiti Sains Malaysia, Level 5, Perpustakaan Hamzah Sendut (New Wing), 11800 USM, Pulau Pinang, Malaysia

^b Centre for Technology and Supply Chain Management Studies, Faculty of Business and Management, Universiti Teknologi MARA, 42300 Puncak Alam Campus, Puncak Alam, Selangor

^{*}Corresponding author. Tel.: +604 653 4885/2461; Fax: +604 653 5273

span of 64 days. Moreover, Figure 1 shows that Kelantan Rivers was involved in more rainfall which leads flood of the downstream area of the Kelantan Rivers in December 2014.



Fig 1. Map of the Kelantan rivers (Laporan Banjir Negeri Kelantan 2014)

Consequently, the water levels of Sungai Galas, Sungai Lebir, and Sungai Kelantan which rose drastically above the danger water level. The highest recorded level of the Sungai Galas was 46.47m (flood stage: 38m), the highest recorded level of Sungai Lebir was 42.17 m (flood stage: 35m) and the highest recorded level of Sungai Kelantan was 34.17m (flood stage: 25m). The highest level of Sungai Golok was 10.84m (flood stage: 23.5m), which was over the dangerous point (Laporan Banjir Negeri Kelantan, 2014).

Datuk Mohamed Thajudeen Abdul Wahab, secretary of The National Security Council (NSC) clarified that the two main reasons for the 2014 flood which are climate change and uncontrolled land management. For example, the swelling number of trees and exploitation of land resources. (The Malaymail Online, 2015). The 2014 flood was called 'yellow colored flood' as the color of the water is yellowish brown with the high mud contents. The route to Kelantan through East-West Highway was closed after part of the highway at the 65 kilometers near to Puncak Banjaran Titiwangsa collapsed. The Gua Musang-Kuala Krai road was closed to all traffic. (The Star, 2014). Figure 2 shows the 'Yellow Colored Flood' in Kelantan, December 2014:





Fig 2. (a) and (b) is the area of Kelantan flood 'Yellow Colored Flood' December 2014 (The Star Online, 2014)

Based on the standard of critical river levels termed by the Department of Drainage Malaysia organization was shown in Figure 3. There are 4 levels which are normal level, caution level, warning level and danger level followed by the implementation of flood forecasting and public evacuation. Caution level shows the river level exceeding the normal level and alert people to beware. The warning level alerts the public when the river level reaches to danger level and evacuation of the nearby residents prepared. Danger level is when the river level will overflow and overtops the riverbank and the evacuation of the public are executed.




Fig 3. The standard of critical river levels termed by DID Malaysia (Department of Drainage and Irrigation Kelantan, 2014)

December 2014 was the extreme flood events in Malaysia history. This flood caused huge financial losses where the estimated loss to hospitals and clinics amounted to RM 281 million (Bernama, 2015). The floods occurred in two phases. When the flood occurred in the first wave on 17th December 2014, it does not involve the hospital yet, but only the traffic towards Kota Bharu was blocked in the areas of Bukit Sireh, Keroh, and Pulau Chondong for 13 hours only. The floods hit several hospitals in Kelantan during the second wave on 22nd until 29th December 2014. The 2014 floods making them unable to provide optimal services and four hospitals affected were Hospital Kuala Krai, Hospital Tanah Merah, Hospital Pasir Mas and Hospital Raja Perempuan Zainab II. Datuk Dr. Noor Hisham Abdullah, General Director of Health, has confirmed that three hospitals namely Hospital Gua Musang,

Hospital Kuala Krai, and Hospital Tanah Merah have been without electricity and operated only by using generator power (Ahmad Shazwan, 2014). Hospital failure to withstand disaster brings immense social implications such as the effect on public morale as a result of the death of the sick, elderly, and children in hospitals during disasters as well as a failure of emergency services when they are most needed (United Nations 2009). World Health Organization (2008) reported that hospital's facility and services should remain accessible and function at maximum capacity and in the same infrastructure, during and immediately following the impact of a natural hazard.

The purpose of this study is to explore the present state of disaster preparedness in hospitals with special attention to the current floods, whether the hospitals in Malaysia are prepared for major disasters. This will also assist the hospitals in determining which facilities and issues most urgently need interventions so that the hospitals will become more prepared when handling the disaster. This research studies several hospitals in Kelantan in terms of preparedness.

2. METHODOLOGY

A qualitative study was conducted through an in-depth face-to-face interview for a total of 6 samples comprising of 4 hospital personnel representing the Disaster Committee Members that were affected by the flood in December 2014. Creswell & Plano-Clark (2007) suggested that the qualitative and quantitative method in mixed method approached must not use the same sample and a larger sample is required in the quantitative phase. Creswell (1998) advised that five to 25 respondents are sufficient for a qualitative approach, meanwhile (Morse, 1994) suggested that the maximum of six respondents are required for the same approach. Thus, this study had conducted an interview until the researcher achieved data saturation. The researcher had interviewed the Head of Disaster Management Committee of the hospital.

The interviews were conducted in February and March 2017. A purposive sampling was used to select the samples among the hospital staff that are directly involved with the disaster committee members. Once the identified sample verbally consented for the interview, an in-depth face-to-face interview was performed in their respective hospitals. The samples were introduced to the interviewer and were briefed about the study purpose. The interview was conducted using guide questions to ensure similarity of interviewing method and flow of the discussions.

The data obtained was sorted according to various categories based on content analysis. Data analysis was carried out by studying and mapping according to the emerging themes.

3. RESULTS

The findings from the interviews were categorized into six main themes. The main themes identified are hospital disaster experience, preparations, and factors affecting hospital disaster preparedness, disaster management policy, communication systems, and disaster preparedness model for hospitals.

3.1 Hospital disaster experience

In terms of hospital disaster experience, the various response was voiced out for each hospital. Most of the hospitals had experiences in flood disaster and 2014 flood was the only major disaster in their record. One of the hospitals was not focused to the flood because they are not facing the flood every year compared to the other hospitals in this study.

"As I believe 2014s' flood is the only major disasters on our record."

"We have never experienced in any major disasters but we always handle the floods"

"Since I worked in the year 2000, the disaster that has been recorded correctly was 2014 flood."

"The major disaster which we had faced was the 2014 flood."

"We do not have any issue in a major disaster. The major disaster that had affected us was the 2014s' flood."

"We have been handling various types of disasters well and controlled. The major disasters we had handle was Tsunami 2004 but we still in control."

3.2 Preparations

In terms of preparations required during the disaster in the hospitals, all of the hospitals voiced out. Most of the hospitals have made early preparation to face any disaster might occur at any time but they cannot predict the scale of a disaster that might hit them.

"Yes, we make initial preparation for any possible disasters at any time. We have our own operating room to make it easier for the public to get information about the flood situation in the affected area."

"There is no denying that hospitals take preliminary preparation to face the disasters especially when the monsoon season."

"Yes, we are always ready and depends on our leader who will give directions."

"We are prepared to face the disasters especially flood and our preparation depends on the situation."

"Yes, we are ready to handle any disasters at any time but the hospital was more focused on floods as the most important risk here."

"Yes, we are well prepared. In our hospital, we have the Emergency Response Team that will control our hospital before the firefighters come. When it comes to human-induced disasters, Emergency Department will be early prepared but when it comes to a disaster caused by a fire in our hospitals, we are still in making improvements for the preparations.

3.3 Factors affected hospital disaster preparedness

Regarding the factors that affected the hospital disaster preparedness, all the six-hospitals gave the same factors which are the instructions from the superior is one of the important factors that affected the hospital disaster preparedness.

Proceedings of the 3rd UUM International Qualitative Research Conference (QRC) 2018 10-12 July 2018, Melaka, Malaysia

"For me, I believe that instructions from the hospital directors who play an important role in the preparation of hospital disaster preparedness."

"We need to be prepared because the hospital's geographical factors that are far from Kelantan River will make our hospital as a relief center for flood-stricken hospitals."

"One of the factors is, we will take action and plan for preparation after the occurrence of the event elsewhere."

"Instructions from the superior, past experience, the flood that always struck, were the factors that affect the hospital disaster preparedness."

"I believe that past experience is the main factor that affects the hospital disaster preparedness and the instructions from the top management."

"The factors of a hospital disaster preparedness differ as each hospital does not experience the same disasters and needs."

3.4 Disaster management policy

In terms of disaster management policy, all of the hospitals have the disaster policy and protocol has but it depends on the frequent disaster that they face. Most of the hospitals are more focus to the floods because it occurred annually.

"Yes, we have a disaster management policy confronting but we only focus on floods as we will face this problem every year."

"Yes, we only have the policy for floods only. For other disasters other than floods are controlled by the emergency departments."

"We do not have the disaster management policy but we have a disaster management protocol. Previously, we had 'All Hazard Disaster Preparedness Protocol' which involved the occurrence of fire, flood, and others but not specific to specific disasters."

"Yes, we are. We have a special flood policy to be used for the general disasters. This policy is constantly updated to make it a quality policy for hospital references.

"We only have a disaster action plan rainwater and this plan is always improved especially from the flood experience of 2014. I believe each hospital must have its own disaster plan. Guidelines from MOH were used as our reference."

"We only have the plan disasters action and protocol of disaster management."

3.5 Communication systems

Regarding the communication systems, all of the hospitals are the total loss the communication system and unable to contact the authorities for external assistance. All of this six hospitals totally agree that the communication system had broken down and they cannot communicate with the authorities.

"The communication system at that time was disconnected. We can only use 'Girn' to get online to connect with authorities such as Angkatan Tentera Malaysia to get food, drinks and electricity supplies."

"We weren't able to contact our staff who work on that day and we cannot identify their location because the communication has been disconnected. Our Emergency Department has used the walkie-talkie tool as a communication tool during the 2014 flood for areas with no telephone connections"

"The communication system was disconnected. We just used 'Girn' to contact with the authorities for assistance."

"The communication system was disconnected. We can only use 'Girn' to contact the ATM"

"The communication system was disconnected but only Celcom lines can be used as there were Celcom substations on the hill in this area. Only phones with Celcom lines and 'Girn' can be used at that time. 'Girn can only be used outdoors. 'Girn' was used to connect with the police, ATM, Jabatan Kebajikan Kelantan, and others."

"If the communication system were disconnected, but only the phones with Digi lines can be used here. We have no experience of having lost communication systems so far, but if the 'Girn' tools will be used to contact the authorities.'

3.6 Disaster preparedness model

In terms of Disaster Preparedness Model, all of these six hospitals do not have disaster preparedness model that need to be same coordinated among the hospitals when a disaster happens. This is because they can follow the disaster preparedness model to control the situation during disaster occurred. Besides, they will know their roles when disaster hit the hospitals.

"We just have our own disasters' policy. We do not have any model of hospital disaster preparedness.'

"We do not have a disaster preparedness model but we do have our action plan for floods that will always be updated."

"So far, we do not have the model."

"We just follow our policy for disaster and we do not have the disaster preparedness model."

"We do not have the disaster preparedness model."

"We just have the action plan for disasters and we do not have the disaster preparedness model"

Table 1. Characteristics of hospital disaster preparedness

Research Variable	Respondent					
	A	В	С	D	Е	F
Experience	Flood	Flood	Flood	Flood	Flood	Others
Preparations	Initial preparati on Small-scale	Initial preparation Small-scale	Initial preparation Small-scale	Initial preparation Small scale	Initial preparation Small scale	Initial preparation Small scale
Factors Preparedness	Past experience	Geographical factors.	Past experience	Annually flood disasters. Instruction from superiors	Instruction from superiors.	Instruction from superiors. Depends on the disasters.
Disaster Management Policy	Flood policy	Focus on flood	All Hazards Preparedness Protocol	Disaster Policy	Disaster Action plan	Disaster Action Plan. Protocol of Flood Management
Communication Systems.	Line disconnected Use Girn	System break down Only can use Girn	Lime disconnected Use Girn	Lime disconnected Use Girn	Only available for Celcom line. Use Girn	Only available for Digi line. Use Girn
Disaster Preparedness Model	Do not have	Do not have	Do not have	Do not have	Do not have	Do not have

4. DISCUSSION

According to the interview with the hospital disaster committee that has been affected by the 2014 extraordinary flood in Kelantan, the results showed the actual situation in several hospitals that had been affected by the flood. Kelantan was chosen because it is considered as the latest worst flood disaster in Malaysia. Hospitals play an important role in providing protection and proper treatment for the disaster victims, including the critical and non-critical cases if any disaster occurred at any time. Among the organizations and involving institutes, hospitals play the most important role as an essential facility for providing services to those needed.

This study shows that the 2014 flood hit several hospitals in Kelantan had caused these hospitals unable to provide the optimal services and the level of preparedness to the disaster is still in low condition. This is because no one can estimate the condition of the disaster is in small or large scale. These hospitals were more focused on floods as the more important risk in Kelantan was the flood and do not have any big problem in any various type of disasters such as fire issues, mass casualty accidents, and epidemics. The hospital provides in terms of equipment, staff and action plans when the flood has occurred.

From the aspect of hospitals disaster preparedness, before the 2014 flood, the hospitals were well prepared to handle the flood like the current year as they didn't expect it came out as big floods. The main cause of the 2014 flood due to the overwhelming amount of rainwater. So, hospital response depends on the phase of floods at that time. The first phase, the usual flood that involves the stuck route and second phase, when the floods are huge, there are many problems that have been identified such as the risk of sinking based on the flood experience 2014, lost power supply and out of clean water supply. Most of these hospitals do not have the specific disaster committee to handle if any disasters occurred.

Based on the factors that affect hospital preparedness in the face of disasters, most of these hospitals just wait for directions from the superior to be well prepared for disasters. In addition, one of the factors that affect the level of hospital readiness is through the past experience such as 2014 floods. This past experience has affected the hospital to further improve the level of preparation and more alert to any disaster.

For the disaster management policy, every hospital has their own disaster management policy and action plan for their own references. Since the disaster risk is not the same between different hospitals, each disaster action plan should be tailored to the needs of each hospital. Most of the policy and action plan in the hospitals in Kelantan are more focused to the flood because it is a major disaster that annually occurred in Kelantan.

Next, the communication systems when disaster strikes is one of the variables in this study. The communication system was totally disconnected when the flood hits the several areas in Kelantan. These hospitals have to use 'Girn' to get assistance and information from authorities such as police, ATM, and JKN. Besides, this 'Girn' can only be used for outside the building to get the signal.

For the disaster preparedness model section, all of this hospital in this study didn't have any model disaster that is same input as a guideline when any disasters occurred. They do not have a disaster preparedness model but they have their action plan for floods that will always be updated.

5. RECOMMENDATION FOR FUTURE WORK

In fact, the hospital disaster preparedness is unsatisfactory in terms of assessing the effectiveness of its implementation to obtain the perception of the victim itself. In this study show that in Malaysia, a study concerning the hospital disaster preparedness at levels during and post-disaster was poorly implemented. With reference to the data from the face-to-face interview on the hospital disaster preparedness when the disasters occurred, some recommendation has been proposed for improvement.

One of the recommendations that we propose is to expand the coverage of Government Integrated Radio Networking, GIRN. During last 2014 flood, the hospital had to find the Girn signal outside the building because of the Girn signal coverage not available in the building. Thus, the hospital. This causes the hospital have the difficulties to communicate with the authorities to get assistance.

Next is to ensure the availability of stand-alone electrical generator at appropriate location enough to meet the needs with the adequate power capacities. Due to 2014 flood, hospitals having the problem with the loss power supply which is important for them to survive and handling patients. Some hospitals have their own stand-alone electrical generator but not all the hospital have the stand-alone electrical.

Besides, next recommendation is the authorities should provide rehabilitation center equipped with safe tube wells and generators in preparation for flood disaster. A hospital should have an appropriate rehabilitation center that has all the amenities to provide enough water and power supply. According to the 2014 flood experience, the supply of clean water is not enough to accommodate all victims in the operation center.

Next recommendation is hospitals should provide staff with the latest database of flood information. Staff is required to attend a mandatory training session on how to handle the disaster in hospitals. As a part of the training competency, each training session was concluded with the completion of a written examination and drills practically. This is to ensure that all the staff are ready and prepare to face the disaster in the future. Thus, hospitals should have the model hospital disaster preparedness which is in line for the use if all hospitals in Malaysia to be the basic model in hospital disaster preparedness.

6. CONCLUSION

Malaysia is free from natural disasters such as volcanic eruptions, earthquakes, hurricanes, tsunamis, typhoon, and tornadoes because Malaysia is located in a geologically stable region just outside the 'Pacific Ring of Fire'. It also lies too far south of major typhoon paths (Chan, 2012). The most severe hazards experienced in Malaysia is flooded. Floods are the most devastating natural disasters that occurred in Malaysia. Like the other hazards, the flood can cause fatalities from drowning and damages to properties such as the house, building, cars, plantations, and others. Malaysia's National Security Council (NSC) said that the 2014 flood in Kelantan was the worst recorded in the history of the state. (The Malaymail Online, 2014). The primary factor of the flood in Malaysia is the incidence of heavy monsoon or continuously rainfall and as a result, a large concentration of overflow which worsened due to rapid development in the river catchment and deteriorated river capacity.

In addition, successful execution of a disaster plan relies on the frequent practice of disaster drills in the hospital and community and must involve multiple agencies for assistance. Datuk Mohamed Thajudeen Abdul Wahab explained that disaster management is handled at three levels which are the district, state and federal (The Malaymail Online, 2015). Therefore, these multiple agencies need to do a frequent practice of disaster drills together with the hospitals to have the same coordinate with the hospitals to face the disasters.

Disaster preparedness is an obviously important thing as the first step in the face of any disaster that might be happening at any time. Thus, disaster preparedness is not an easy undertaking in any hospital setting. It is an essential to have a strong framework which to operate, specifically an up-to-date disaster plan action that details internal and external disaster response system. Besides that, a smart disaster plan will facilitate the movement of the hospitals in the event of disasters as all employees are aware of the steps to be taken during the disasters.

ACKNOWLEDGEMENTS

The authors gratefully acknowledge to Fundamental Research Grant Scheme (FRGS) for financial support. The authors are also thankful for the cooperation of hospitals in Kelantan regions and Universiti Sains Malaysia in conducting this study. With regards to the ethical standards, some information related to the under examined hospital including its name and detailed findings are kept confidential by the researchers, as requested.

REFERENCES

Ahmad Shazwan, M. Y. (2014). *Hospital di Kelantan Kritikal*. Retrieved May 20, 2015, from http://www.utusan.com.my/berita/nahas-bencana/hospital-8232-di-kelantan- kritikal-1.40969

Azuddin Bahari, Hanum Hassan, & Razli Ahmad. (2011). Emergency Preparedness amongst Emergency Response Team In Managing Accidents At The Workplace Involving Hazardous Materials. International Journal of Business and Technopreneurship, 1(3),1–23. Retrieved from http://dspace.unimap.edu.my/dspace/bitstream/123456789/7455/1/Emergency preparedness.pdf

Ben-Ezra, M., Palgi, Y., Aviel, O., Dubiner, Y., Evelyn Baruch, Soffer, Y., & Shrira, A. (2013). Face it: Collecting mental health and disaster-related data using Facebook vs. personal interview: The case of the 2011 Fukushima nuclear disaster. *Psychiatry Research*, 208(1), 91–93. doi:10.1016/j.psychres.2012.11.006

Bernama. (2015, January). Hospitals and clinics destroyed in floods estimated at RM281 million. Astro Awani.

Chan, N., 2015. Impacts of Disasters and Disaster Risk Management in Malaysia: The Case of Floods. In Aldrich, D.P., Oum, S., Sawada, Y. (Eds.), Resilience and Recovery in Asian Disasters. Springer Japan. 239-265.

Creswell, J.W (2014). Research design: Qualitative, quantitative and mixed methods approaches. United States of America: Sage Publication

Proceedings of the 3rd UUM International Qualitative Research Conference (QRC) 2018 10-12 July 2018, Melaka, Malaysia

- Hounsell, D. (2015). Emergency Planning Helps Michigan Hospital in Flood Aftermath. Retrieved April22,2015, from http://www.facilitiesnet.com/emergencypreparedness/article/Emergency-Planning-Helps-Michigan-Hospital-in-Flood-Aftermath-15796?
- Datuk Dr. Noor Hisham bin Abdullah. (2014). Kenyataan Akhbar Ketua Pengarah Kesihatan Kementerian Kesihatan Malaysia: Tindakan Kementerian Menangani Banjir.
- Diya, S.G., Gasim, M.B., Toriman, M.E., & Abdullahi, M.G. (2014). Floods in Malaysia: Historical Reviews, Causes, Effects and Mitigations Approach. *International Journal of Interdisciplinary Research and Innovations*, 2(4), 59-65.
- Gebbie K.M., & Qureshi, K. (2002). Emergency and disaster preparedness: core competencies for nurses. 102(1), 46-51.
- Glyn, J. (2014). Beware of political posturing after the MH17 tragedy. *Eureka Street*, 24(14), 67 70.
- IFRC. (2014). World Disaster Report 2014. Retrieved from http://www.ifrc.org/en/publications-and-reports/world-disasters-report/world-disasters-report-2014---data/
- Laporan Banjir Negeri Kelantan. (2014). Ringkasan Laporan Banjir. Retrieved on December 21, 2017, from http://ebanjir.kelantan.gov.my/p_parpt01.php
- Liberto, T. D. (2015). For Malaysia and Thailand, monsoon plus MJO equals disaster. 2015-01-29. Retrieved from https://www.climate.gov/news-features/event-tracker/malaysia-and-thailand-monsoon-plus-mjo-equals-disaster
- Khor, M. (2015, January 19). Lessons from great floods. *The Star Online*. Retrieved November 13, 2017, from https://www.thestar.com.my/opinion/columnists/global-trends/2015/01/19/lessons-from-the-great-floods/
- Ministry of Health Malaysia. (2014). Siaran Media: Tindakan Kementerian Kesihatan Menangani Banjir 31 December 2014.
- National Security Council. (1997). Directive No. 20: The Policy and Mechanism on National Disaster and Relief Management
- Norris, F. H., Friedman, M. J., & Watson, P. J. (2002). 60,000 disaster victims speak Part II. Summary and implications of the disaster mental health research. Psychiatry, 65(3), 240–260. doi:10.1521/psyc.65.3.240.20169
- Official Portal for Ministry of Health Malaysia. (2014). List of Government Hospitals. Retrievedfromhttp://www.moh.gov.my/english.php/database_stores/store_view/
- Pan American Health Organization, & World Health Organization. (2008). Hospital Safety Index: Guide for Evaluators Hospitals, 107.
- Peters, M. S. (1996). Hospitals respond to water loss during the Midwest floods of 1993. The Journal of Emergency Medicine, 14(3), 345–350.
- Rahman, B. (2012). Issues of Disaster Management Preparedness: A Case Study of Directive 20 of National Security Council Malaysia. *Int. Journal of Business and Social Science*, 3(5), 85–92.
- Saffran, M. (1990). The hunt for the shunt. Biochemical Education, 18, 125-126. doi:10.1016/0307-4412(90)90211-6
- UNISDR. (2009). UNISDR Terminology on Disaster Risk Reduction. International Strategy for Disaster Reduction (ISDR)
- United Nations. (2009). Hospital Safe from Disasters. 2008-2009 World Disaster Reduction Campaign. Retrieved from http://www.unisdr.org/2009/campaign/pdf/wdrc-2008-2009-information-kit.pdf
- World Health Organization. (2015). Safe Hospitals Initiatives: Comprehensive Safe Hospital Framework. Geneva. Retrieved from http://www.who.int/hac/techguidance/comprehensive_safe_hospital_framework.pdf?ua=1